

UNCLASSIFIED

AD NUMBER
AD277439
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies only; Administrative/Operational Use; JUN 1962. Other requests shall be referred to 6571st Aeromedical Research Lab., Attn: Aerospace Medical Div., Holloman AFB, NW.
AUTHORITY
ARL ltr dtd 1 Jun 1966

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

AD 277 439

*Reproduced
by the*

**ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA**



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CATALOGED BY ASTIA
AS AD NO. _____

277 439

277439

ARL-TDR-62-8

CHIMPANZEE PERFORMANCE DURING EXPOSURE
TO 100% OXYGEN AT 14.7 PSI

Donald N. Farrer - Ph. D.
Herbert H. Reynolds - Capt., USAF

TECHNICAL DOCUMENTARY REPORT NO. ARL-TDR-62-8

June 1962

6571st Aeromedical Research Laboratory
Aerospace Medical Division
Air Force Systems Command
Holloman Air Force Base, New Mexico

Project No. 6893, Task No. 689302

Qualified requesters may obtain copies of this report from ASTIA. Orders will be expedited if placed through the librarian or other person designated to request documents from ASTIA.

This document may be reproduced to satisfy official needs of US Government agencies. No other reproduction authorized except with permission of 6571st Aeromedical Research Laboratory, Holloman AFB, New Mexico.

When US Government drawings, specifications, or other data are used for any purpose other than a definitely related government procurement operation, the government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise, as in any manner licensing the holder or other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This document made available for study upon the understanding that the US Government's proprietary interests in and relating thereto, shall not be impaired. In case of apparent conflict between the government's proprietary interests and those of others, notify the Staff Judge Advocate, Air Force Systems Command, Andrews Air Force Base, Washington 25, D. C.

Do not return this copy. Retain or destroy.

FOREWORD

The authors wish to express their appreciation to David S. Belski for the preparation of the charts; to Gerald Garrett and Anthony Burgeoise for the statistical treatment of the data; to the technicians in the Comparative Psychology Branch, Gordon Wilson, Victor Bogo, Gary Barnhart, Robert Bush, Nelson DeLavan, Hugh D. Gregg, Gerald Garrett, Joseph Leachman, Vern Pegram, James Warrell, and Marion Rathbun for the monitoring of the subjects; and to Miss Sylvia Echavarria for the typing of the drafts.


We appreciate the co-operative efforts of the Astroecology Branch, Bioinstrumentation Branch, Veterinary Services Branch and the Land-Air Inc. staff in making this study possible.

ABSTRACT

The effects on performance of breathing 100% O₂ at 760 mm. Hg (14.7 psi) pressure for 15 hours were investigated using six chimpanzees in a counter-balanced design. Each subject was tested for 15 hours in both a 100% O₂ environment and a 20% O₂ environment. Performance on continuous and discrete avoidance tasks was required on five 15-minute sessions for each 15-hour test. The results were as follows: One subject exhibited a decrement on the continuous avoidance task; two animals showed an increase in reaction time. It was concluded that exposure to 15 hours of 100% O₂ at 760 mm. Hg (14.7 psi) produced marginal performance decrements in two of the six chimpanzees.

PUBLICATION REVIEW

This technical documentary report has been reviewed and is approved.



HAMILTON H. BLACKSHEAR
Lt Colonel, USAF, MC
Commander,
6571st Aeromedical Research Laboratory

CARE AND HANDLING OF THE SUBJECTS

The animals used in this study were handled in accordance with the "Principles of Laboratory Animal Care" established by the National Society of Medical Research.

TABLE OF CONTENTS

	Page
I. INTRODUCTION	1
II. METHODS	2
A. Subjects	2
B. Design	3
C. Apparatus	4
D. The Performance Task	8
E. Procedure	8
III. RESULTS	10
IV. DISCUSSION	21
REFERENCES	23

LIST OF ILLUSTRATIONS

Figure

1 Restraint Chair Mounted in the Environmental Test Chamber	5
2 Restraint Couch Mounted in the Environmental Test Chamber	6
3 Performance Panel for Chair Restrained Subjects	7
4 Performance Panel for Couch Restrained Subjects	7

5	Performance on the Continuous Avoidance Task for Jim and Roscoe	11
6	Performance on the Continuous Avoidance Task for Paleface and Elvis	12
7	Performance on the Continuous Avoidance Task for Minnie and Roy	13
8	Performance on the Continuous Avoidance Task for All Animals Combined	15
9	Performance on the Discrete Avoidance Task for Jim and Roscoe	16
10	Performance on the Discrete Avoidance Task for Paleface and Elvis	17
11	Performance on the Discrete Avoidance Task for Minnie and Roy	18
12	Performance on the Discrete Avoidance Task for All Animals Combined	20

Table

I	The Age and Weight for All Subjects	2
II	The Design for Presenting the Experimental Treatments	3
III	Comparison of CA Response Rates During 20% O ₂ and 100% O ₂	10
IV	Comparison of the DA Reaction Time During 20% O ₂ and 100% O ₂	19

CHIMPANZEE PERFORMANCE DURING EXPOSURE TO 100% OXYGEN AT 14.7 PSI

I. INTRODUCTION

The evaluation of changes which may arise in chimpanzee performance during space flight is enhanced by controlled studies of the environmental factors of the flights under standard laboratory conditions. The environmental conditions of space flight differ from the laboratory environment in several aspects. Environmental pressure, oxygen content, and restraint conditions are potential problem areas which exist during space flight. The determination of the appropriate environmental pressure for space flight poses special problems. Welch, et al. (Ref. 5) suggest that sea level pressure atmosphere (20% $\overline{O_2}$ at 14.7 psi) is not advisable for space systems because it offers little protection from physiological disturbances arising from abrupt pressure changes and, from an engineering standpoint, sea level pressures are difficult to maintain. It was further suggested that the utilization of 100% oxygen atmosphere at a 5 psi cabin pressure would minimize the problems of control and maintenance of cabin atmosphere. Welch's results indicated that man could perform satisfactorily in an environment of 100% oxygen at 190 mm. Hg (33,600 feet) pressure level for 17 days.

Stephenson (Ref. 4) demonstrated hyperoxia in dogs which were exposed to 35% to 40% oxygen at sea level pressures for short time periods, and in some cases produced cardiac arrest or premature contractions and ventricular tachycardia.

Rohles, et al. (Ref. 3) demonstrated no performance decrements during a 14-day restraint test with a chimpanzee.

In summary, then, the restraint system employed in these experiments is known to produce no detrimental effects, and it is known that man can adequately function in 100% reduced pressure environments for several days. However, dogs have indicated severe hyperoxic effects due to elevated oxygen concentration for one hour.

An animal in a closed ecological system with a 100% oxygen atmosphere for a space flight may have to be sustained 15 hours prior to launch. Accordingly, the purpose of this study was to evaluate the effects of breathing 100% oxygen at 760 mm. Hg (14.7 psi) for 15 hours on the performance of restrained chimpanzees.

II. METHODS

A. Subjects

Six chimpanzees were used in this study, and all had received extensive training on the behavioral tasks involved. The age and weight for each subject is presented in Table I. All subjects were well adapted to the restraint condition prior to this study.

TABLE I

The Age and Weight for All Subjects

Subject	Age	Weight
Paleface No. 32	84 months	60 pounds
Elvis No. 35	60 months	54 pounds
Jim No. 62	51 months	28 pounds
Roscoe No. 42	65 months	56 pounds
Minnie No. 46	60 months	43 pounds
Roy No. 101	52 months	31 pounds

B. Design

The subjects were divided into two groups to accomplish a counter-balanced design. Group I was first exposed to 20% O₂; 14.7 psi and then to 100% O₂; 14.7 psi. Group 2 was first exposed to 100% O₂; 14.7 psi and then to 20% O₂; 14.7 psi. This technique obviated any sequential effects which might have accrued in the usual test-retest situation. During both 15-hour test sessions for each animal the behavioral tasks were presented for 15 minutes at 3 hour intervals. Thus, behavioral information was collected five times during each 15-hour test.

Four subjects were tested in the restraint chairs described by Grunzke (Ref. 2), and two subjects were tested in restraint couches described by Rohles, et al. (Ref. 3).

The counter-balanced order of presenting the experimental treatments was determined, and the data collection procedure was established as presented in Table II.

TABLE II

The Design for Presenting the Experimental Treatments

Group	Subject	First Experimental Treatment Administered	Second Experimental Treatment Administered
Group I	Paleface		
	Elvis	20% O ₂	100% O ₂
	Jim		
Group II	Roscoe		
	Minnie	100% O ₂	20% O ₂
	Roy		

C. Apparatus

1. The General Electric Environmental Test Chamber (ETC)

All tests were conducted in the ETC which permitted the control of oxygen content, pressure level, temperature and relative humidity. The inside dimensions were 30 inches by 48 inches by 48 inches. A plexiglass window was provided on one wall of the chamber.

2. Conditions of Restraint

As pointed out previously, the subjects were restrained either in a chair or in a couch. Photos of these devices are shown in Figures 1 and 2, respectively.

3. The Performance Test Panels

Two types of performance panels were used in this study. For the chair restrained subjects, the performance panel shown in Figure 3 was used. The red light on the right side signals that the continuous avoidance task is in effect and the blue light on the left side signals that the discrete avoidance task is in effect. Lever presses on the right lever produce a secondary reinforcement in the form of a flash of white light in the center window.

The performance panel for the couch restrained subjects was described in the Rohles (Ref. 3) study. This panel is shown in Figure 4.

The operation of the two panels was identical. The red light appeared in the window on the right side, and actuation of the right lever produced a flash of white light in the center window display. The blue light was presented in the left window on both stimulus panels.




Figure 1. Restraint Chair Mounted in the Environmental Test Chamber



Figure 2. Restraint Couch Mounted in the Environmental Test Chamber




Figure 3. Performance Panel for Chair Restrained Subjects




Figure 4. Performance Panel for Couch Restrained Subjects

D. The Performance Task

As stated previously, all subjects had been trained to work on the continuous and discrete avoidance tasks. The signal for the continuous avoidance (CA) task was a red light presented in the right stimulus window. The response required following this stimulus signal was a minimum of one right-hand lever press each 20 seconds for the duration of the stimulus signal presentation. Failure to press the lever for 20 seconds resulted in a 200 volt, 5 ma, .5 second shock to the feet of the subject, and the shock was repeated at 3-second intervals until a lever response was made.

The signal for the discrete avoidance (DA) task was a blue light presented in the left window at 2-minute intervals. The onset of the blue light required one left-hand lever press within 5 seconds. The left lever press resulted in the blue light being turned off. If the subject failed to respond to the blue light stimulus within 5 seconds a shock was delivered and the blue light was turned off.

Each subject was tested on the combined tasks for 15 minutes at 3-hour intervals. This resulted in 5 test sessions during each 15-hour period. Response rates per minute were obtained for the continuous avoidance task, and reaction times were obtained for the discrete avoidance task.

E. Procedure

The counter-balanced order of presenting the experimental treatments was determined, and the data collection procedure was established as follows: 1) The first and second 15-hour tests were control condition tests (20% O₂) using chair restrained subjects. 2) The third and fourth 15-hour tests were experimental condition tests (100% O₂) using chair restrained subjects. 3) The fifth and sixth tests provided experimental condition data for the animals used in the first

two tests. 4) The seventh and eighth tests provided control condition data for the two animals used in the third and fourth tests. 5) The ninth, tenth, eleventh and twelfth tests provided counter-balanced treatment effects data for the two couch restrained subjects.

The subjects were given a complete physical examination (including blood, urine, and feces analyses) prior to the testing sessions, and were instrumented as follows: 1) a copper sulphate respiration sensor was placed around the subject in the region of the eleventh intercostal space at a horizontal line; 2) a thermistor was taped to the medial aspect of the right thigh; 3) three EKG leads were sutured to the subject with stainless steel wire, and 4), the subject was catheterized for the purpose of urine collection. The subject was then dressed in a nylon mesh suit and placed in the restraint device.

The restrained subject was placed in the environmental test chamber and the oxygen content, pressure level (14.7 psi) temperature (80°F) and relative humidity (50%) were adjusted and the test session began. The subject and chamber were monitored continuously to determine the oxygen content of the environment, carbon dioxide content, temperature and relative humidity of the chamber. Data were also obtained for heart rate, EKG, respiration, and body temperature. The results of these environmental and physiological conditions are reported by Gleason (Ref. 1).

Every 2 hours and 45 minutes the subject performed the CA-DA performance task for 15 minutes. Following the fifth work session individual tests were terminated.

The four chair-restrained subjects were removed from the test environment at the end of the 15-hour test session; however, the two couch-restrained subjects were not removed after 15 hours at 14.7 psi but continued in the environmental test chamber for 81 additional hours at 5 psi.

III. RESULTS

A. Continuous Avoidance Task

The response rate on the continuous avoidance task is presented in Figures 5, 6, and 7 for Jim and Roscoe, Paleface and Elvis, and Minnie and Roy, respectively. The graphs show that for each animal there was at least one work session in which the response rate was more rapid under the 100% oxygen condition than the performance rate on that session under the 20% oxygen condition. The matched pairs t-test between the two oxygen environments for each subject is presented in Table III.

TABLE III
Comparison of CA Response Rates
During 20% O₂ and 100% O₂

Subject	Mean 20%	Mean 100%	S. E. Diff.	t-ratio
Paleface	106.54	73.14	17.46	1.947
Elvis	43.54	41.86	13.06	.128
Jim	61.14	40.54	9.66	2.132*
Roscoe	37.98	32.66	9.84	.541
Minnie	58.70	42.90	49.24	.321
Roy	21.16	24.12	6.80	.435

* $P < .05$ (one-sided test)





Figure 5. Performance on the Continuous Avoidance Task for Jim and Roscoe





Figure 6. Performance on the Continuous Avoidance Task for Paleface and Elvis





Figure 7. Performance on the Continuous Avoidance Task for Minnie and Roy

Only one subject (Jim, No. 62, tested in a restraint couch) demonstrated a significant ($P < .05$, one-sided test) decrement on performance in the 100% O₂ environment, but one other subject (Paleface, No. 32, tested in a restraint chair) approached this probability ($P < .10$). The remaining four subjects did not show a statistically significant decrement, but the direction of performance change was toward a decrement for five of the six subjects. The data for Roy, No. 101, indicated performance increment in response rate in the 100% oxygen environment; however, it was not statistically significant.

The response rate data for all subjects are presented graphically in Figure 8. The matched pairs t-test for these data yielded a ratio of .478. The matched pairs t-test for the combined data for the four chair restrained subjects yielded a ratio of .593. A matched pairs t-test was not obtained for the couch restrained subjects due to the sample size.

Although there was no overlap between the mean response rates under the two oxygen environments at each data collection point, the graphs for the individual subjects reflect a heterogeneity which existed from one work session to another. The group trend is in the direction of a performance decrement. However, as pointed out above, this trend failed to reach statistical significance.

B. Discrete Avoidance Task

The reaction times as measured by the DA task for each subject are presented graphically in Figures 9, 10 and 11 for S's respectively. Three subjects showed a trend toward slower reaction times in the 100% O₂ environment, and three subjects indicated a slight trend toward increased reaction times in the 100% oxygen environment. Table IV presents the descriptive statistics and t-values for all subjects. The minus sign preceding the t-value indicates the performance change was toward a faster reaction time in the 100% oxygen environment. This table indicates that two subjects performed at a




Figure 8. Performance on the Continuous Avoidance Task for All Animals Combined





Figure 9. Performance on the Discrete Avoidance Task for Jim and Roscoe





Figure 10. Performance on the Discrete Avoidance Task for Paleface and Elvis





Figure 11. Performance on the Discrete Avoidance Task for Minnie and Roy

significantly (Jim = $P < .05$ and Roscoe = $P < .01$) slower rate. It should be reiterated that three subjects' reaction times were slower and three subjects' reaction times were faster in the 100% oxygen environment. However, five of six subjects' reaction times would not have differed significantly under the two experimental conditions had the direction of the difference not been hypothesized, suggesting that performance differences under 20% and 100% O_2 for 15 hours are minimal.

TABLE IV
Comparison of the DA Reaction Time
During 20% O_2 and 100% O_2

Subject	Mean 20%	Mean 100%	S. E. Diff.	t-ratio
Paleface	1.354	1.208	.0998	-1.462
Elvis	.982	1.678	.3613	+1.926
Jim	1.822	2.372	.2318	+2.372*
Roscoe	1.412	1.822	.1388	+2.954**
Minnie	.878	.698	.1083	-1.663
Roy	1.756	1.288	.1965	-2.382

* $P < .05$ (one-sided test)

** $P < .01$ (one-sided test)

The plotted DA reaction time data for all subjects are presented in Figure 12. The change in DA reaction time is in the direction of a slower response, and the t-value of 2.468 is greater than the value required at the .05 level of confidence. The combined DA reaction time data of the four chair restrained animals resulted in a t-value of 2.404 which also was greater than the value required for significance at the .05 level of confidence.

ALL ANIMALS COMBINED




Figure 12. Performance on the Discrete Avoidance Task for All Animals Combined

IV. DISCUSSION

The continuous avoidance performance rate data indicated that a significant ($P < .05$, one-sided test) decrement occurred in only one of the six subjects. However, the direction of the performance change was toward a decrement in the 100% O₂ environment for five of the six subjects. This evidence suggests the possibility that confinement in a 100% O₂ environment at 760 mm. Hg pressure for a period of time beyond 15 hours may produce a significant performance decrement. The t-values of the two subjects tested in restraint couches indicated the greatest amount of continuous avoidance variability of all the subjects. One subject had a significantly ($P < .05$) decreased response rate, and one subject had a non-significant ($t = .435$) performance increment while all chair-restrained subjects changed in the direction of a performance decrement in the 100% O₂ environment. However, the continuous avoidance performance rate variability found between the subjects restrained in the couches may not be attributable to the experimental condition. The physical examinations given to the subject (Roy No. 101) which had the non-significant performance increment in the 100% O₂ environment indicated that the control condition performance may have been depressed due to poor health at the start of the control condition test. The physical examinations given to all other subjects prior to each test gave no indication of any abnormality.

The combined discrete avoidance reaction time data indicated a significant increase in time required to respond to the blue light, but the individual t-values show that only two of the six subjects responded significantly ($P < .05$ or $P < .01$) more slowly in the 100% O₂ environment. The continuous and discrete avoidance tasks appeared to be reflecting independent changes in the behavior of two subjects. Roscoe's (No. 42) data indicated a significant ($P < .01$) continuous avoidance decrement, but no significant changes were observed in his discrete avoidance reaction time. Paleface (No. 32), Elvis (No. 35) and Minnie (No. 46) indicated no significant changes in either continuous

avoidance response rate or discrete avoidance reaction time. Jim's (No. 62) data indicated significant performance decrements ($P < .05$) on both tasks, suggesting agreement between the two dependent variables for this subject.

The evaluation of an environmental condition was accomplished with a counter-balanced design using six chimpanzees. Four subjects were tested in restraint chairs and two subjects were tested in restraint couches. The results indicated that:

1. The response rate on the continuous avoidance task in 100% O₂ decreased significantly on one subject, and the response rate of four other subjects changed (insignificantly) in the direction of a performance decrement.

2. Two subjects had significantly slower reaction times. The reaction times for the remaining subjects failed to reach a decrement point required for statistical significance.

REFERENCES

1. Gleason, T.L., III, "Chimpanzee Physiological Tolerance Studies of Breathing 100% Oxygen at 15 psi", Air Force Missile Development Center Technical Report (In preparation).
2. Grunzke, M.E., "A Restraint Device for Behavioral Research with the Chimpanzee", Technical Documentary Report, MDC-TDR-61-37, December 1961.
3. Rohles, F.H., Jr., H.H. Reynolds, M.E. Grunzke, and D.N. Farrer, "A Laboratory Model for a Fourteen-Day Orbital Flight with a Chimpanzee", Air Force Missile Development Center Technical Report 61-33, October, 1961.
4. Stephenson, S.E., Jr., "The Implications of Excess Oxygen as a Factor in Cardiac Arrest", Surg. Forum, 1958, 9, 277-281.
5. Welch, B.E., T.E. Morgan, Jr., and F. Ulvedal, "Observations in the SAM Two-Man Space Cabin Simulator", Aerospace Medicine, 1961, 32, 583-615.

DISTRIBUTION

AFSC (SCGB-3) Andrews AFB Wash 25, DC	2	Central Intelligence Agency Wash 25, DC ATTN: OCR Mail Room	2
HQ USAF (AFRDR-LS) Wash 25, DC	1	USAFA (DLIB) USAF Academy, Colo	2
HQ USAF (AFCIN-M) Wash 25, DC	1	Institute of Aeronautical Sciences ATTN: Library Acquisition 2 East 64th St New York 25, NY	1
AFMTC (Tech Library MU-135) Patrick AFB, Fla	1	Commanding Officer Diamond Ordnance Fuze Laboratories ATTN: (ORDTL 012) Wash 25, DC	1
APGC (PGAPI) Eglin AFB, Fla	1	Boeing Airplane Company Aero-Space Division Library 13-84 P. O. Box 3707 Seattle 24, Wash	1
ESD (ESAT) L. G. Hanscom Field Bedford, Mass	1	Commanding General U.S. Army Ordnance Missile Command Redstone Arsenal, Ala ATTN: Tech Library	1
AFFTC (FTOOT) Edwards AFB, Calif	1	Commanding General White Sands Missile Range New Mexico ATTN: ORDBS-OM-TL	1
AFSWC (SWOI) Kirtland AFB, NMex	1	British Liaison Office Ordnance Mission White Sands Missile Range NMex	1
AFSWC (SWRB) Kirtland AFB, NMex	1	National Library of Medicine 8600 Wisconsin Ave Bethesda 14, Md	3
AU (AUL-6008) Maxwell AFB, Ala	1	Defense Research Member Canadian Joint Staff ATTN: Dr. M.G. Whillans Director of Biosciences Research Wash 8, DC	1
ASTIA (TIPDR) Arlington Hall Station Arlington 12, Va	10		
AEDC (AEOIM) Arnold AF Stn, Tenn	1		
RADC (RAALD) Griffiss AFB, NY	1		
AMD (AMAP) Brooks AFB, Texas	10		
ASD (ASBMA) Wright-Patterson AFB, Ohio	1		

Cornell Aeronautical Labs, Inc	1	Commanding General	2
4455 Genesee St		Research and Development Div	
Buffalo 25, NY		Dept of the Army	
		Wash 25, DC	
School of Aviation Medicine	1	Director	1
USAF		Naval Research Laboratory	
Brooks AFB, Tex		Wash 25, DC	
Director	2	Director	2
Armed Forces Institute of		Office of Naval Research	
Pathology		Wash 25, DC	
Walter Reed Army Medical Center		University of California Medical	1
ATTN: Deputy Director for the		Center	
Air Force		ATTN: Biomedical Library	
Wash 25, DC		Los Angeles 24, Calif	
NASA	1	Director	1
ATTN: Biology and Life Support		Walter Reed Army Institute of	
System Program		Research	
1520 H. Street NW		ATTN: Neuropsychiatry Division	
Wash 25, DC		Wash 25, DC	
NASA	6	Commanding General	1
ATTN: Chief, Division of		Engineer Research and Development	
Research Information		Laboratories	
1520 H Street NW		ATTN: Technical Documents Center	
Wash 25, DC		Fort Belvoir, Va	
Commander	1	Commanding Officer	2
U.S. Naval Missile Center		U.S. Naval School of Aviation	
Point Mugu, Calif		Medicine	
Commander	2	Pensacola, Fla	
Naval Air Development Center		The STL Technical Library	1
ATTN: Director, AMAL		Space Technology Laboratories, Inc	
Johnsville, Pa		One Space Park	
Headquarters	1	Redondo Beach, Calif	
U.S. Army R&D Command		Attn: Document Procurement Group	
Main Navy Building		Medical Records Section	1
ATTN: NP and PP Research Br		Room 325	
Wash 25, DC		Division of Medical Sciences	
Commanding Officer	1	National Academy of Sciences	
U.S. Army Medical Research Lab		National Research Council	
ATTN: Psychology Division		2101 Constitution Avenue NW	
Fort Knox, Ky		Wash 25, DC	

Lockheed Missile and Space Biomedical System Development Division Sunnyvale, Calif	1	Princeton University The James Forrestal Research Center Library Princeton, NJ	1
Librarian U.S. Naval Research Center Bethesda, Md.	1	Government Publications Div University of New Mexico Library Albuquerque, NMex	1
Aviation Crash Injury Research A Div of Flt Safety Foundation 2871 Sky Harbor Blvd Sky Harbor Airport Phoenix 34, Arizona	1	Life Sciences Group Northrop Corporation 1001 Broadway Hawthorne, Calif	1
Director Langley Research Center NASA ATTN: Librarian Langley Field, Va	3	School of Aviation Medicine USAF Aerospace Medical Center (ATC) ATTN: SAMDYNA, Capt Bruce H. Warren Brooks AFB, Texas	1
Librarian National Institute of Health Bethesda, Md	1	ASD (WWB) Wright-Patterson AFB Ohio	1
Librarian Quarterly Cumulative Index Medicus American Medical Association 535 North Dearborn St Chicago, Ill	1	Life Sciences Dept, Code 5700 U.S. Naval Missile Center Point Mugu, Calif	1
		ASD (ASBAT Library) Wright-Patterson AFB Ohio	2
The Rockefeller Institute Medical Electronics Center 66th Street and New York New York 21, NY	1	Aerospace Medicine The Editor 394 So. Kenilworth Ave Elmhurst, Ill	1
NORAIR Division of Northrop Corp ATTN: Bioastronautics Branch 1001 East Broadway Hawthorne, Calif	1	Chief, Pathology Dept Presbyterian - St Lukes Hospital ATTN: Dr. George M. Hass 1753 W. Congress St Chicago 12, Ill	1
New Mexico State University University Library University Park, New Mexico ATTN: Library	1	Chief, Dept of Pediatrics University of Oregon Medical School ATTN: Dr. Donald Pickering 3171 S.W. Sam Jackson Park Road Portland 1, Oregon	1

Chief, Pathology Dept Evanston Hospital ATTN: Dr. C. Bruce Taylor Evanston, Ill.	1	The Lilly Research Laboratories Eli Lilly and Company Indianapolis 6, Ind	1	1
Director U.S. Naval Research Laboratory (Code 5360) Wash 25, DC	1	Professor Willard F. Day Dept of Psychology University of Nevada Reno, Nevada	1	4
MMSCV Air Force Unit Post Office Los Angeles 45 Calif	3	Dr. Merrill Thompson Dept of Psychology New Mexico State University Las Cruces, NMex	1	
The Decker Corp Advanced Life Sciences Div 45 Monument Road Bala-Cynwyd, Pa	1	Mr. R. T. Kado University of California Medical Center Los Angeles 24, Calif	1	
SSD (SSZB) AF Unit Post Office Los Angeles 45, Calif	2	Dr. W. Winters University of California Medical Center Los Angeles 24, Calif	1	1
Life Sciences Dept Douglas Aircraft Co Missile and Space Systems Santa Monica, Calif	1	Dr. Richard Lawton Missile and Space Vehicle Dept General Electric Company 3198 Chestnut Street Philadelphia 4, Pa	2	
Dr. C. T. Morgan, Editor Psychological Abstracts University of Wisconsin Madison, Wisconsin	1	Dr. Floyd Homme Teaching Machines, Inc 235 San Pedro, NE Albuquerque, NMex	1	
Dr. Joseph V. Brady Chief, Dept of Psychology Walter Reed Army Institute of Research Walter Reed Army Medical Center Wash 12, DC	1	Dr. James T. Freeman Operations Analysis Hq Strategic Air Command Offutt AFB, Nebraska	1	
Dr. Donald R. Meyer Dept of Psychology Ohio State University Columbus 8, Ohio	1	Dr. George H. Foster Director, Bionics Laboratory G.E. Adv Electronics Center Ithaca, NY	1	
		Dr. Harley M. Hanson Merck Institute for Therapeutic Research West Point, Pa	1	

Dr. Arthur J. Riopelle Director, Yerkes Laboratories of Primate Biology, Inc Emory University Orange Park, Fla	1	Dr. Frank A. Beach Dept of Psychology University of California Berkeley, Calif	1
Dr. Fred W. Oberst Chief, Gassing Branch U.S. Army Chemical Corps R&D Command U.S. Army Chemical Research and Development Laboratories Army Chemical Center, Md.	1	Dr. Dominic Finocchio Ciba Pharmaceutical Products, Inc Medical Services Division 556 Morris Ave Summit, NJ	1
Dr. T. C. Ruch Dept of Physiology and Biophysics University of Washington Seattle, Wash	1	Mr. Stanley A. Hall Project Engineer Biomedical Systems Missiles and Space Division Lockheed Aircraft Corporation Sunnyvale, Calif	2
Dr. C. B. Ferster Institute of Psychiatric Research Indiana University Medical Center Indianapolis 7, Indiana	1	Dr. Milton H. Joffe Contract Administrative Officer Toxicology Division U.S. Army Chemical Research and Development Laboratories Army Chemical Center, Md	1
Dr. Richard E. Belleville Ames Research Center National Aeronautics and Space Administration Palo Alto, Calif	1	Dr. Kenneth C. Back Toxic Hazards Section Biomedical Laboratory Aerospace Medical Laboratory Wright-Patterson AFB, Ohio	1
Dr. Sylvan J. Kaplan Dept of Psychology Texas Technological College Lubbock, Tex	1	Professor B. F. Skinner Dept of Psychology Memorial Hall Harvard University Cambridge, Mass	1
Dr. William D. Thompson Dept of Psychology Baylor University Waco, Tex	1	Dr. Werner Honig Dept of Psychology Dennison University Granville, Ohio	1
Dr. W. Lynn Brown Dept of Psychology University of Texas Austin, Tex	1	Arctic Aeromedical Laboratory Fort Wainridge, Alaska	1
Professor Harry Harlow Dept of Psychology University of Wisconsin Madison, Wis.	1	Mr. B. J. Gauntlett The Martin Company Orlando, Fla	1

Dr. Robert Correll Hartford Hospital Hartford, Conn	1	Dr. James P. Henry Life Systems Division Manned Spacecraft Center, Site 4 2002 So. Wayside Drive Houston, Texas	1
Dr. Colin S. Pittendrigh Dept of Biology Princeton University Princeton, NJ	1	William L. Lynch Lockheed MSC Box 504 Sunnyvale, Calif	1
General Electric Co Missile & Space Vehicle Dept Valley Forge Space Technology Center Box 8555 Philadelphia 1, Pa ATTN: T.C. Sarr, Rm 3128M	1	R. Bruce Maine Lockheed MSC Box 504 Sunnyvale, Calif	1
Dr. Wilhelm F. Scheich North American Aviation, Inc Space and Information Systems Div 12214 Lakewood Blvd Downey, Calif	1	<u>LOCAL</u>	
		MDNH	1
		NLO	1
		AROC	25
		SRAT	3
		MDRAR	40
Captain Frank B. Voris NASA Headquarters 1520 H Street Northwest Wash 25, DC	3		
Dr. Samuel A. Corson Associate Professor of Psychiatry Columbus Psychiatric Institute and Hospital University Health Center Columbus 10, Ohio	1		
Dr. George M. Peterson Dept of Psychology University of New Mexico Albuquerque, New Mexico	1		
Dr. Joe R. Held USPHS Asst to Chief Communicable Disease Center Atlanta 22, Georgia	1		

<p>6571st Aeromedical Research Lab. Holloman Air Force Base, New Mexico ARL-TDR-62-8. CHIMPANZEE PERFORMANCE DURING EXPOSURE TO 100% OXYGEN AT 14.7 PSI. Final report, June 1962, 29p, incl illus. Unclassified Report</p> <p>The effects on performance of breathing 100% O₂ at 760 mm. Hg (14.7 psi) pressure for 15 hours were investigated using six chimpanzees in a counter-balanced design. Each subject was tested for 15 hours in both a</p> <p>○</p>	<p>1. Primates 2. Oxygen Consumption I. Project 6893, Task 689302 II. Farrer, D.N. Reynolds, H.H., Capt, USAF III. In ASTIA collection</p>	<p>6571st Aeromedical Research Lab. Holloman Air Force Base, New Mexico ARL-TDR-62-8. CHIMPANZEE PERFORMANCE DURING EXPOSURE TO 100% OXYGEN AT 14.7 PSI. Final report, June 1962, 29p, incl illus. Unclassified Report</p> <p>The effects on performance of breathing 100% O₂ at 760 mm. Hg (14.7 psi) pressure for 15 hours were investigated using six chimpanzees in a counter-balanced design. Each subject was tested for 15 hours in both a</p> <p>○</p>	<p>1. Primates 2. Oxygen Consumption I. Project 6893, Task 689302 II. Farrer, D.N. Reynolds, H.H., Capt, USAF III. In ASTIA collection</p>	<p>6571st Aeromedical Research Lab. Holloman Air Force Base, New Mexico ARL-TDR-62-8. CHIMPANZEE PERFORMANCE DURING EXPOSURE TO 100% OXYGEN AT 14.7 PSI. Final report, June 1962, 29p, incl illus. Unclassified Report</p> <p>The effects on performance of breathing 100% O₂ at 760 mm. Hg (14.7 psi) pressure for 15 hours were investigated using six chimpanzees in a counter-balanced design. Each subject was tested for 15 hours in both a</p> <p>○</p>	<p>1. Primates 2. Oxygen Consumption I. Project 6893, Task 689302 II. Farrer, D.N. Reynolds, H.H., Capt, USAF III. In ASTIA collection</p>
<p>6571st Aeromedical Research Lab. Holloman Air Force Base, New Mexico ARL-TDR-62-8. CHIMPANZEE PERFORMANCE DURING EXPOSURE TO 100% OXYGEN AT 14.7 PSI. Final report, June 1962, 29p, incl illus. Unclassified Report</p> <p>The effects on performance of breathing 100% O₂ at 760 mm. Hg (14.7 psi) pressure for 15 hours were investigated using six chimpanzees in a counter-balanced design. Each subject was tested for 15 hours in both a</p> <p>○</p>	<p>1. Primates 2. Oxygen Consumption I. Project 6893, Task 689302 II. Farrer, D.N. Reynolds, H.H., Capt, USAF III. In ASTIA collection</p>	<p>6571st Aeromedical Research Lab. Holloman Air Force Base, New Mexico ARL-TDR-62-8. CHIMPANZEE PERFORMANCE DURING EXPOSURE TO 100% OXYGEN AT 14.7 PSI. Final report, June 1962, 29p, incl illus. Unclassified Report</p> <p>The effects on performance of breathing 100% O₂ at 760 mm. Hg (14.7 psi) pressure for 15 hours were investigated using six chimpanzees in a counter-balanced design. Each subject was tested for 15 hours in both a</p> <p>○</p>	<p>1. Primates 2. Oxygen Consumption I. Project 6893, Task 689302 II. Farrer, D.N. Reynolds, H.H., Capt, USAF III. In ASTIA collection</p>	<p>6571st Aeromedical Research Lab. Holloman Air Force Base, New Mexico ARL-TDR-62-8. CHIMPANZEE PERFORMANCE DURING EXPOSURE TO 100% OXYGEN AT 14.7 PSI. Final report, June 1962, 29p, incl illus. Unclassified Report</p> <p>The effects on performance of breathing 100% O₂ at 760 mm. Hg (14.7 psi) pressure for 15 hours were investigated using six chimpanzees in a counter-balanced design. Each subject was tested for 15 hours in both a</p> <p>○</p>	<p>1. Primates 2. Oxygen Consumption I. Project 6893, Task 689302 II. Farrer, D.N. Reynolds, H.H., Capt, USAF III. In ASTIA collection</p>

<p>100% O₂ environment and a 20% O₂ environment. Performance on continuous and discrete avoidance tasks was required on five 15-minute sessions for each 15-hour test. The results were as follows: One subject exhibited a decrement on the continuous avoidance task; two animals showed an increase in reaction time. It was concluded that exposure to 15 hours of 100% O₂ at 760 mm. Hg (14.7 psi) produced marginal performance decrements in two of the six chimpanzees.</p> <p style="text-align: center;">○</p>		<p>100% O₂ environment and a 20% O₂ environment. Performance on continuous and discrete avoidance tasks was required on five 15-minute sessions for each 15-hour test. The results were as follows: One subject exhibited a decrement on the continuous avoidance task; two animals showed an increase in reaction time. It was concluded that exposure to 15 hours of 100% O₂ at 760 mm. Hg (14.7 psi) produced marginal performance decrements in two of the six chimpanzees.</p> <p style="text-align: center;">○</p>	
<p>100% O₂ environment and a 20% O₂ environment. Performance on continuous and discrete avoidance tasks was required on five 15-minute sessions for each 15-hour test. The results were as follows: One subject exhibited a decrement on the continuous avoidance task; two animals showed an increase in reaction time. It was concluded that exposure to 15 hours of 100% O₂ at 760 mm. Hg (14.7 psi) produced marginal performance decrements in two of the six chimpanzees.</p> <p style="text-align: center;">○</p>		<p>100% O₂ environment and a 20% O₂ environment. Performance on continuous and discrete avoidance tasks was required on five 15-minute sessions for each 15-hour test. The results were as follows: One subject exhibited a decrement on the continuous avoidance task; two animals showed an increase in reaction time. It was concluded that exposure to 15 hours of 100% O₂ at 760 mm. Hg (14.7 psi) produced marginal performance decrements in two of the six chimpanzees.</p> <p style="text-align: center;">○</p>	